

Fibra **DFA**

**DFA FIBRE HAIR REMOVAL
ALLOWS YOU TO LEAVE BEHIND
THE OVER-INFLATED MARKET
OF LASER HAIR REMOVAL**



**THE FUTURE,
IS NOW.**



Fibra*DFA*

DFA FIBRE
IS A FIBRE
COUPLED **810nm**
MULTIPLE DIODE

The diode is **NOT LOCATED**
inside the handpiece,

**but in the
main body of the
machine,**

thus offering

**BENEFITS
NEVER SEEN
BEFORE.**





Fibre hair removal
allows you to leave
behind the over-
inflated market of
laser hair removal.

DFA Fibre is an innovative technique in the field of high-end hair removal treatments. It's all thanks to its **energy, precision, and utmost effectiveness.**

The power originated from the **DFA Fibre** is transferred to the target area (*i.e. the hair follicle*) through an optical fibre,

THUS INCREASING ITS ENERGY
AND EFFECTIVENESS RATE TO

nearly **100%**



Fibra **DFA**

DFA TECHNOLOGY (**FIBRE COUPLED DIODE**)

This is a cutting-edge,
innovative technology featuring

coupled microlenses

that allow the light produced by the **MULTIPLE DIODE**
to be concentrated in one pulse and transferred
to the hair through a fibre.

Suitable for all phototypes
from 1 to 6.

easy to use thanks to its user-friendly software,
equipped with a mixed air and water cooling system
as well as a compressor allowing it
to work non-stop 24/7.



INNOVATION

For spotless, accurate hair removal,
the skin phototype detection device
provides an essential support that
allows you to obtain top-level results.

PHOTOTYPE DETECTION DEVICE



This system results in **UNIFORM ENERGY DISTRIBUTION** with no energy loss, thus ensuring

improved operational safety.

A LONG LIFESPAN OF THE HANDPIECE and **easy maintenance.**



UTMOST PRECISION



ULTRA LIGHT



CERTIFIED QUALITY



PAIN FREE

Fibra **DFA**

ULTRA-RAPID MODE

DFA Fibre **quicklyreaches**
a frequency of 10 hz,

resulting in an extremely quick motion of the handpiece on the areas to be treated for a better comfort, thanks to **its powerful cooling system**

IT ALLOWS TO AVOID
THE RISK OF GETTING BURNT



PLENTY OF BENEFITS



The generator (diode) comes with a two-year warranty and allows 25 million spots. Reordered diodes will instead have a one-year warranty



It can also treat tanned skins and all phototypes up to 6, so you can use it in the summer as well, thus maximising its PROFITABILITY.



The powerful, steady cooling system (between 0 and 5 degrees) provides a pleasant and safe feeling throughout the whole treatment, as well as ensuring its utmost effectiveness.



FDA Fibre hair removal allows you to leave behind the over-inflated market of laser hair removal. Our hair removal technique uses **an OPTICAL FIBRE delivery system.**



This system can work non-stop for long periods, even in very hot and humid environments (up to 45 degrees), which results in a considerably longer lifespan of the diode.



Pain-free during the entire course of the treatment.



The Fibre coupled diode is designed to ensure uniform energy distribution, with no energy loss.



The spot size is 12x12 mm (i.e. 2.3 square cm), allowing for a quicker motion, while the handpiece is ultra-light, resulting in a less tiring job.



NEO-D
DERM 

LASER-COMPATIBLE
COSMETIC
PRODUCT LINE
RELIABILITY AND
EFFECTIVENESS






















A wide range of **HOME-USE** and
PROFESSIONAL PRODUCTS

to be combined with hair removal treatments,

**for amazing and
long-lasting results**

summary table NEO D DERM

| PRODUCT | PROFESSIONAL PRODUCT LINE | | PACKAGING | FORMAT | HOME-USE PRODUCT LINE | | PACKAGING | FORMAT |
|-----------------------------------|---|--------|--------------|---------|---|--------|--------------|--------|
| | | | | | | | | |
| DEEP CLEAN |  | VL1109 | spray bottle | 250 ml | | | | |
| SWEET CREAM |  | VL1101 | tube | 200 ml |  | VL1006 | tube | 100 ml |
| SWEET EMULSION |  | VL1102 | tube | 300 ml |  | VL1008 | tube | 200 ml |
| SPOT GEL |  | VL1103 | jar | 1000 ml | | | | |
| REPAIR GEL |  | VL1105 | tube | 200 ml | | | | |
| SWEET OIL |  | VL1108 | spray bottle | 250 ml |  | VL1022 | spray bottle | 200 ml |
| EXTRA SCREEN |  | VL1107 | tube | 200 ml |  | VL1015 | tube | 50 ml |
| SOFT BATH | | | | |  | VL1016 | tube | 200 ml |
| CHERA CREAM | | | | |  | VL1000 | tube | 100 ml |
| CHERA EMULSION | | | | |  | VL1001 | tube | 200 ml |
| SCREEN EMULSION | | | | |  | VL1004 | tube | 100 ml |
| SOFT CLEAN | | | | |  | VL1005 | tube | 200 ml |
| SWEET DEO | | | | |  | VL1021 | spray bottle | 150 ml |
| LIGHT TO MEDIUM SCREEN FOUNDATION | | | | |  | VL1011 | tube | 35 ml |
| MEDIUM TO DARK SCREEN FOUNDATION | | | | |  | VL1012 | tube | 35 ml |

TECHNICAL specifications:

Input power: 1500W

Output power: 640W

Generator: fibre coupled diode

Operating mode: sending pulses

Wavelength: 810nm±5nm

Pulse duration: within 300 ms

Energy density: 1~40j/cm²

Spot Size: 12mm*12mm

Cooling: contact cooling

Indicator light: Blue light

Maximum dimensions: (L×W×H) 500mmX380mmX350mm

Net weight of the entire device: 22kg

Power supply: AC 220V±10%/110V±10% 50Hz /60 Hz



LOCAL MANAGER



Fibra **DFA**

BALDAN

G R O U P



www.baldangroup.com

B&M Sri - Marketing nel
Benessere Via L. Bruni,
25 - Milano - ITALY

